

CAPACITY

Refrigerator (cu.ft.)	17.52
-----------------------	-------

Freezer (cu.ft.)	9.64
------------------	------

Total Capacity (cu.ft.)	27.2
-------------------------	------

ENERGY

Energy Consumption (kWh/Year)	726
-------------------------------	-----

ENERGY STAR® Qualified	DOE
------------------------	-----

WATER & ICE SYSTEM

Ice & Water Dispenser	Yes
-----------------------	-----

Dispenser Type	Smooth Touch
----------------	--------------

Daily Ice Production (lbs)	2.3 lbs
----------------------------	---------

IcePlus™ Production (lbs)	3.0 lbs
---------------------------	---------

Ice Storage Capacity (lbs)	3.5 lbs
----------------------------	---------

Ice System	SpacePlus®
------------	------------

Dispenser Light	Yes (Ring Light)
-----------------	------------------

Water Filter	LT1000P
--------------	---------

COOLING

Inverter Compressor	Yes
Linear Cooling	Yes
Door Cooling+	Yes
Multi-Air Flow™ System	Yes
Temperature Sensors	4
Refrigerant	R600a: Low Global Warming Potential, Zero Ozone Depletion Potential and More Energy Efficient Refrigerant than R134a

CONVENIENCE

Display Type	Membrane/White LED
Temperature Controls	Electronic/Digital
Door Alarm	Yes
Child Lock	Yes
Auto Closing Door Hinge	Yes (Cam Hinge Type)
ADA Compliant	Yes
Sabbath Mode	Yes
LoDecibel™ Quiet Operation	Yes

REFRIGERATOR

No. of Shelves	4
Cantilevered Shelves	Inner Case Supported Type
Shelf Construction	Tempered Glass

Refrigerator Light

Ceiling LED

REFRIGERATOR DOOR

No. of Bins

4

Door Bin Construction

1 Piece (clear)

FREEZER

Door Type

Side Swing

Drawers/Shelves

Shelves: 5 (Glass), Drawers: 1

Ice Bin / In-Door Ice

Ice Bin in Door

Freezer Light

Ceiling LED

No. of Door Bins/Construction

2/1 Piece (Clear)

Freezer Handle

Newly Designed Pocket Handle (Upper and Lower Pockets)

SMART FEATURES

SmartDiagnosis™

Yes

MATERIALS AND FINISHES

Door Type

Flat

Hidden Hinges

Yes

Surface

Smooth

Fingerprint & Smudge Resistant Exterior

Yes (Stainless Steel Look & PP STS only)

Handles

Newly Designed Pocket Handle (Upper and Lower Pockets)

All Available Colors

PrintProof™ Stainless Steel, Stainless Steel Look (VCM), Smooth Black, Smooth White

Blowing Agent

Cyclopentane - Low Global Warming Potential, and Zero Ozone Depletion Potential Blowing Agent

DIMENSIONS**Width**

35 7/8"

Height to Top of Hinge

70 1/2"

Depth with Handles

33 1/2"

Width (Door Open 90° without Handle)

38 7/8"

Width (Door Open 90° with Handle)

38 7/8"

Width (Door Fully Open without Handle)

64 3/8"

Door Edge Clearance with Handle

3/8"

Door Edge Clearance without Handle

3/8"

Height to Top of Case

68 7/8"

Height (Floor to Top of Drawer)

No F/D Model

Depth without Door

28 7/8"

Depth without Handles

33 1/2"

Depth (to Hinge Cover)

22 5/8"

Depth (Total with Door Open)

51"

Depth (Draw Open Fully without Handle)

No F/D Model

Installation Clearance

Sides 1/8", Top 1", Back 2"

Weight (Unit/Carton)

265.7 lbs / 273.6 lbs

Carton Dimensions (WxHxD)

37 9/16" x 74 5/8" x 34 7/8"

LIMITED WARRANTY

Parts & Labor

1 Year

Sealed System (Parts & Labor)

5 Years

Compressor (Parts & Labor)

5 Years

UPC CODES

UPC

195174007761
